



Eurorad
Isıtma San. ve Tic. Ltd. Sti.



www.eurorads.net



INDEX

ABOUT US 3

STANDARD TOWEL RADIATOR 4

DESIGN TOWEL RADIATOR 6

ELEMENTS 14

ACCESSORIES 26



ABOUT US

Eurorad is one of the largest Towel Radiator, Design Radiator and Heating Element exporter in the Aegean Sea Region of Turkey, specialized in Standard/ Design, Painted/ Chromed Towel Radiators and radiator accesories and heating element etc...

Being proud of its high quality standard, Eurorad provides a 5 year guarantee related to functionality, sensitivity and quality.

The Company is working %95 for the export market and is exporting Towel Radiators in different types/ dimension to 9 different countries mainly in Europe

Thanks to the additional tailor made production, Eurorad is capable to give an answer to different (Towel Radiator Shapes/ Dimensions) needs all over the world

Eurorad's mission statement is, "Understand customer needs, produce the highest quality product with the highest technology and be an emphatic organization"

Although Eurorad produces towel radiators with its own brand 'Eurorad', it serves for other brands, as well.

STANDARD TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)		Heat Output kcal/h	
Width (mm)	Height (mm)		Flat	Curved	Flat	Curved
400	800	14	2,73	2,76	212	214
400	1000	18	3,45	3,48	268	270
400	1200	20	4,02	4,06	312	315
400	1600	26	5,32	5,36	412	416
400	1800	30	6,03	6,09	468	472
500	800	14	3,05	3,08	236	239
500	1000	18	3,86	3,9	299	303
500	1200	20	4,48	4,52	347	351
500	1600	26	5,91	5,97	458	463
500	1800	30	6,72	6,79	521	526
600	800	14	3,37	3,41	261	264
600	1000	18	4,27	4,32	331	335
600	1200	20	4,93	4,99	382	387
600	1600	26	6,5	6,57	504	510
600	1800	30	7,4	7,48	574	581

Straight and Curved

22 mm tubes

30x40 D Collector

Standart Brackets

5 Year Guarantee

We can produce standard towel rails for required technical specifications and colours

ZEUS CHROME

www.eurorads.net

04

STANDARD TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)		Heat Output kcal/h	
Width (mm)	Height (mm)		Flat	Curved	Flat	Curved
400	800	14	2,73	2,76	311	314
400	1000	18	3,45	3,48	393	397
400	1200	20	4,02	4,06	459	463
400	1600	26	5,32	5,36	606	612
400	1800	30	6,03	6,09	688	695
500	800	14	3,05	3,08	348	352
500	1000	18	3,86	3,9	440	445
500	1200	20	4,48	4,52	511	516
500	1600	26	5,91	5,97	674	681
500	1800	30	6,72	6,79	766	774
600	800	14	3,37	3,41	384	389
600	1000	18	4,27	4,32	487	493
600	1200	20	4,93	4,99	562	569
600	1600	26	6,5	6,57	741	750
600	1800	30	7,4	7,48	844	854

Straight and Curved

22 mm tubes

30x40 D Collector

Standart Brackets

5 Year Guarantee


We can produce standard towel rails for required technical specifications and colours

ZEUS WHITE

www.eurorads.net

05


DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
600	1300	23	4,91	347

- * 16 mm tubes
- * 32 mm collector
- * Plastic brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
500	900	12	3,07	217

- * 22 mm tubes
- * 30x40 D Collector
- * Plastic brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
700	1200	15	4,36	309

- * 22 mm tubes
- * 32 mm collector
- * Plastic brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
500	1000	1	2,76	196
600	1400	1	4,24	301

- * 19 mm tubes
- * 32 mm collector
- * Plastic brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
500	400	5	2,04	213
600	400	5	2,25	219
700	400	5	2,47	234

- * 22 mm tubes
- * 30x40 D collector
- * Plastic brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
400	1200	5	6,81	482
600	800	8	5,90	418

- * 22 mm tubes
- * 30x40 D Collector
- * Plastic brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
400	550	8	1,96	181
600	550	8	2,58	238
800	550	8	3,19	295
1000	550	8	3,81	352
1200	550	8	4,43	409

- * 60*10 mm tubes
- * 32 mm collector
- * Metal brackets
- * 5 Year Guarantee

DESIGN TOWEL RADIATOR



Overall Dimension		Tube Quantity	Water Capacity (lt)	Heat Output kcal/h
Width (mm)	Height (mm)			Chrome
500	500	5	1,41	100
500	800	7	2,12	150
500	1200	10	3,12	221

- * 20*20 mm tubes
- * 30*30 mm collector
- * Metal brackets
- * 5 Year Guarantee

ARTEMIS

ELEMENT



SUN DIGITAL CHROME

Technical Specifications	
Model	sun digital chrome
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

ELEMENT



SUN DIGITAL WHITE

Technical Specifications	
Model	sun digital white
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

ELEMENT



SUN DIGITAL BLACK

Technical Specifications	
Model	Sun Digital Black
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

ELEMENT



Technical Specifications	
Model	Sun Up & Down Chrome
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN UP & DOWN CHROME

ELEMENT



SUN UP & DOWN WHITE

Technical Specifications	
Model	Sun Up & Down White
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

ELEMENT



Technical Specifications	
Model	Sun Up & Down Black
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN UP & DOWN BLACK

ELEMENT



Technical Specifications	
Model	Sun One Touch Chrome
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN ONE TOUCH CHROME

ELEMENT



Technical Specifications	
Model	Sun One Touch White
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN ONE TOUCH WHITE

ELEMENT



Technical Specifications	
Model	Sun One Touch Black
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN ONE TOUCH BLACK

ELEMENT



SUN ON & OFF CHROME

Technical Specifications	
Model	Sun On & Off Chrome
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

ELEMENT



Technical Specifications	
Model	Sun On & Off White
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN ON & OFF WHITE

ELEMENT



Technical Specifications	
Model	Sun On & Off black
Voltage & Frequency	230 v / 50 Hz
Power	200,300,400,600,800,1000 watt
Class of the device	Class I
Water Splash Protection	IP44
Connection	G 1/2"

SUN ON & OFF BLACK

ACCESSORIES



Round Towel Radiator Hooks White - Black - Chrome

Comes as Pair

Easy To Install

Great Design Solutions For Additional Towels

Will Fit Onto Horizontal Bars with 10-25mm Gap

TOWEL RADIATOR PEGS

ACCESSORIES



High Quality Replacement Brackets

Strong ABS Plastic

Sparkling Chrome or White Finish

Free & Fast Dispatch

Will Fit Onto Curved & Straight Towel Rails

ELLIPSE TOWEL RAIL RADIATOR BRACKET SET

ACCESSORIES



Fill Fit Onto Cuved and Flat Towel Radiators.

For Ladder Type Towel Radiators

Each Bracket Supports Upto 20kg

**UNIVERSAL TOWEL RAIL
RADIATOR WALL BRACKETS**

ACCESSORIES



1/2 BSP Blanking Plug

This plug has a standard 1/2 inch BSP pipe thread to fit towel rails / radiators etc.

Bleeding Valve 1/2"

Size: 1/2"

Max. Working Temperatures: +120C

Max. Static Pressure: 1,0 MPa (10 bar)

**BLANKING PLUG &
BLEEDING VALVE**

ACCESSORIES



Product Description
High Quality Chrome Caps for Bleeding Valve and Blanking Plugs (Pair)
Complete Your Radiator Installation
Covers Bleeding and Blanking Plugs
Will Only Fit Onto Chrome Bleeding Valves

CHROME COVER CAPS



www.eurorads.net



+90(232) 488 2593
+90(532) 563 0509
Now You may call us.



Email address:
info@eurorads.net



Office
Adalet Mah. Manas Blv. No:39/3408 Folkart Towers
Bayraklı - Izmir /TURKEY